



# HIGH PERFORMANCE COATINGS



 **RUST-OLEUM**



## A Tradition of Quality & Innovation

High Performance Coatings are true pillars of innovation at Rust-Oleum. Ground breaking brands such as RockSolid®, EpoxyShield®, Seal-Krete® and OKON® continually push the envelope and redefine what is possible in the world of coatings.

Our Garage & Interior floor coating systems offer solutions for any do-it-yourselfer to complete their projects in a matter of days. With the endurance of Polycuramine® and professional-grade epoxy, accompanied by a full line of surface preparation products and accessories, Rust-Oleum has the full program to make any concrete aisle a success in the marketplace.

Patio & Driveway stains, sealers and coatings protect and enhance surfaces that often act as an extension to interior living spaces. With a full assortment of products in trusted brands, consumers are able to maintain, improve and protect these spaces with ease. Many products offer added protection against the damaging effects of water and enhance appearance with a customized, high-end look.

## CONTENTS

### Garage & Interior

RockSolid® \_\_\_\_\_ page 4

Epoxyshield® \_\_\_\_\_ page 8

Rust-Oleum® \_\_\_\_\_ page 12

Rust-Oleum HOME® \_\_\_\_\_ page 14

Prep, Repair, and Accessories \_\_\_\_\_ page 16

### Patio, Walkway & Driveway

RockSolid® \_\_\_\_\_ page 20

Rust-Oleum® \_\_\_\_\_ page 25

Seal-Krete® \_\_\_\_\_ page 26

Okon® \_\_\_\_\_ page 36

Colors shown on this printed piece may vary slightly from actual product due to aging, lighting, and printing processes.



# GARAGE & INTERIOR

## FLOOR COATING SYSTEMS

	• TRUSTED QUALITY SINCE 1921 • <b>RUST-OLEUM®</b> FLOOR PAINT + PRIMER	• TRUSTED QUALITY SINCE 1921 • <b>RUST-OLEUM®</b> <b>EPOXYSHIELD</b> FLOOR COATINGS	• TRUSTED QUALITY SINCE 1921 • <b>RUST-OLEUM®</b> <b>ROCKSOLID®</b> FLOOR COATINGS
DRIVE TIME			
DURABILITY			
FINISH			
COVERAGE	Covers up to 300-400 sq. ft.	Covers up to 250 sq. ft. per 1 car kit Covers up to 500 sq. ft. per 2.5 car kit	Covers up to 250 sq. ft. per 1 car kit Covers up to 500 sq. ft. per 2.5 car kit
APPLICATION	Easy Roll-on Application 	Easy Mix Burst Pouch Application  <small>*Tint Bases do not come in a burst pouch</small>	Easy Mix Burst Pouch Application 

**APPEARANCE IS EVERYTHING THESE DAYS**, especially when it comes to garage and interior floors. Whether for a basement or a garage, Rust-Oleum offers products that enhance and update any concrete surface in a wide variety of colors and sheens. Available in quality and trusted brands such as EpoxyShield and RockSolid, we stand by our products and offer a solution for a stunning, clean and easy to maintain floor.



Shown in EpoxyShield Gray with Chips

• TRUSTED QUALITY SINCE 1921 •  
**RUST-OLEUM®**

# ROCKSOLID®

THE WORLD'S TOUGHEST COATINGS™

RockSolid® Polycuramine® technology combines multiple chemistries into one self-leveling, fast curing, high gloss floor coating system that can be completed in one day.



Great for garages, basements, mudrooms, kitchens, baths...anywhere you want to finish or change the look of your room. A great DIY project you will be proud to show off.



Shown in Gray with Chips



Kits Cover Up To  
200-250 SQ. FT. for 1 car kit  
450-500 SQ. FT. for 2.5 car kit



## GARAGE FLOOR COATING KIT

The RockSolid® Garage Floor Coating Kit contains everything you need for an industrial grade, high-performance garage floor with a showroom quality, high gloss finish.

- 20X stronger than epoxy.
- Drive on in 24 hours.
- Extreme high gloss finish.
- No hot tire pickup.
- Chemical resistant.
- Low odor.
- Covers up to 200-250 sq. ft. per 1 car kit.
- Covers up to 450-500 sq. ft. per 2.5 car kit.

**Kit Contents** — Polycuramine® Pouch (Pre-Tinted), Decorative Chips, Foam Roller, Concrete Etch, Instructions.



Kit Covers Up To  
200-250 SQ. FT. over bare surfaces  
450-500 SQ. FT. over coated surfaces

## CLEAR TOPCOAT

For additional durability and protection in a high gloss finish, apply RockSolid Clear Topcoat with optional anti-skid additive.

- 20X stronger than epoxy.
- Drive on in 24 hours.
- Extreme high gloss finish.
- No hot tire pickup.
- Chemical resistant.
- Low odor.

**Kit Contents** — Polycuramine® Pouch (Clear), Anti-Skid Additive, Instructions.



Kit Covers Up To  
200-250 SQ. FT. over bare surfaces  
450-500 SQ. FT. over coated surfaces

## TEXTURED CLEAR TOPCOAT

For additional durability and protection in a satin, powdercoat textured finish, apply RockSolid Textured Clear Topcoat.

- 20X stronger than paint.
- Drive on in 24 hours.
- Satin, powdercoated textured finish.
- No hot tire pickup.
- Chemical resistant.
- Low odor.


**Kit Contents** — 2 Polycuramine® Pouches, Roller, Instructions.



Shown in Silver Bullet



Kit Covers Up To  
100-125 SQ. FT.



## METALLIC FLOOR COATING KIT

The RockSolid® Metallic Coating Kit is an industrial grade, 2-part Polycuramine® that mixes best in class durability and chemical resistance with lustrous, high-gloss, metallic finishes.


- 20X stronger than epoxy.
- Drive on in 24 hours.
- Extreme high gloss finish.
- No hot tire pickup.
- Chemical resistant.
- Low odor.
- Great for garages, basements, workshops and interior floors.
- Covers up to 100-125 sq. ft.

**Kit Contents** — Polycuramine® Pouch (Pre-Tinted), Concrete Etch, Roller, Instructions.

PRODUCT	ITEM#	KITS BAR CODE
<b>ROCKSOLID GARAGE KITS</b>		
Gray 1 Car Kit	60003	899201 002902
Gray 2.5 Car Kit	293513	020066 309787
Tan 1 Car Kit	60007	899201 002919
Tan 2.5 Car Kit	293515	020066 309794
Modern Greige 1 Car Kit	381086	020066 020132
Modern Greige 2.5 Car Kit	381087	020066 020149
Mocha 1 Car Kit	60009	899201 002926
Mocha 2.5 Car Kit	293517	020066 309800
Dark Gray 1 Car Kit	317286	020066 349943
Dark Gray 2.5 Car Kit	317284	020066 349929
Black 1 Car Kit	318712	020066 355395
Black 2.5 Car Kit	318697	020066 355357
<b>ROCKSOLID TOPCOATS</b>		
Clear Topcoat	282829	899201 002933
Textured Clear Topcoat	317382	020066 349875
<b>METALLIC FLOOR COATING KITS</b>		
Silver Bullet	286893	020066 294410
Copper Pot	286894	020066 294427
Earth Brown	286895	020066 294434
Cherry Bomb	286896	020066 294441
Amaretto	299741	020066 317836
Gunmetal	299743	020066 317850
Brilliant Blue	299745	020066 317874



Kit Covers Up To 200-250 SQ. FT.



Shown in Smoky Blue

## PEARLESCENT FLOOR COATING KIT


The RockSolid® Pearlescent Floor Coating Kit is an industrial grade, 2-part Polycuramine® that mixes best in class durability and chemical resistance with luminous, dimensional shimmer that gives the look of quartz or granite.

- 20X stronger than epoxy.
- Drive on in 24 hours.
- Extreme high gloss finish.
- No hot tire pickup.
- Chemical resistant.
- Low odor.
- Great for garages and interior living spaces.
- Kit covers up to 200-250 sq. ft.

**Kit Contents** — Polycuramine® Pouch (Pre-Tinted), Mica Additive, Microfiber Roller, Concrete Etch, Instructions.



Kit Covers Up To 200-250 SQ. FT.



Shown in Mountain White

## MARBLE FLOOR COATING KIT

The RockSolid® Marble Floor Coating Kit contains everything you need for an industrial grade, 2-part Polycuramine® that mixes best in class durability and chemical resistance with the look of natural stone or marble in a high-gloss finish.

- 20X stronger than epoxy.
- Drive on in 24 hours.
- Extreme high gloss finish.
- No hot tire pickup.
- Creates the look of marble or natural stone.
- Great for garages and interior living spaces.
- Includes unique split roller and tray for dual color application.
- Kit covers up to 200-250 sq. ft.

**Kit Contents** — 2 Polycuramine® Pouches (Pre-Tinted), Split Roller, Split Tray, Concrete Etch, Instructions.

PRODUCT	ITEM#	BAR CODE
<b>PEARLESCENT KITS</b>		
Pearlescent Kit Pearl Black	306325	020066 332174
Pearlescent Kit Smoky Blue	306328	020066 332204
<b>MARBLE KITS</b>		
Marble Kit Stone Obsidian	306320	020066 332136
Marble Kit Mountain White	306321	020066 332143
<b>UNIVERSAL SYSTEM</b>		
Universal Base	282841	899201 002001
<b>UNIVERSAL PEARLESCENT ADDITIVES</b>		
Cabernet	306336	020066 332280
Pearl Black	306337	020066 332297
Midnight Blue	306339	020066 332310
Smoky Blue	306340	020066 332327
Graphite	306341	020066 332334
<b>UNIVERSAL METALLIC ADDITIVES</b>		
Cherry Bomb	60070	899201 002766
Copper Pot	60071	899201 002773
Earth Brown	60072	899201 002780
Silver Bullet	60073	899201 002797
Brilliant Blue	306332	020066 332242
Gunmetal	306331	020066 332235
Amaretto	306330	020066 332228
Burnished Gold	306333	020066 332259
<b>UNIVERSAL MARBLE ADDITIVES</b>		
Stone Obsidian	60060	899201 002728
Gold Sandstone	60061	899201 002735
Terra Cotta	60062	899201 002742
Sienna Sunset	60063	899201 002759
Mountain White	306334	020066 332266
Brownstone	306335	020066 332273
<b>ROLLERS AND TRAYS</b>		
9" Microfiber Roller 3/8" Nap	201818	020066 318864
9" Marble Dualie Roller	45225	899201 002346
9" Marble Dualie Roller and Tray Kit	60080	899201 002360
9" Foam Roller	45210	899201 002803




## UNIVERSAL BASE SYSTEM

Industrial-grade Polycuramine® formula mixes best in class durability and chemical resistance with an attractive, high-gloss, showroom finish. The Universal Base serves as the foundation for three distinctly different systems: Metallic, Marble and Pearlescent, for which the components are each sold separately.

- 20X stronger than epoxy.
- Drive on in 24 hours.
- Extreme high gloss finish.
- No hot tire pickup.
- Chemical resistant.
- Low odor.
- Great for garage and interior living spaces.
- See System specifics for coverage and required components.

## PEARLESCENT ADDITIVES

Pearlescent System provides the appearance of a quartz or granite surface and covers up to 200-250 sq. ft. System requirements are (1) Pearlescent Additive (2) Microfiber Roller (3) Universal Base.




Pearlescent Additive



Microfiber Roller

## METALLIC ADDITIVES

Metallic System gives the appearance of high end granite and covers up to 100-125 sq. ft. System requirements are (1) Metallic Additive (2) Microfiber Roller (3) Universal Base.




Metallic Additive



Microfiber Roller

## MARBLE ADDITIVES

Marble System creates the look of natural stone, slate or marble and covers up to 200-250 sq. ft. System requirements are (1) Marble Additive (2) Marble Roller & Tray Kit (3) Universal Base.



Marble Additive



Marble Roller & Tray Kit

• TRUSTED QUALITY SINCE 1921 •  
**RUST-OLEUM®**  
**EPOXYSHIELD®**

## High performance concrete coatings for residential & commercial applications.

- Beautify and protect garage floors, basements, stairways, porches and commercial concrete surfaces.
- EpoxyShield® coatings are professional-grade products for the DIY market.
- All-inclusive kits provide maximum chemical, water and stain resistance in just one coat.
- Formulated for superior adhesion and durability.



Shown in Tan with Chips



Kits Cover Up To  
 200-250 SQ. FT. for 1 Car Kit  
 450-500 SQ. FT. for 2.5 Car Kit



### GARAGE FLOOR COATING KIT

EpoxyShield Garage Floor Coating strongly adheres to concrete, giving it a beautiful look with superior protection that will not peel or pick up under hot tires. Also available in 2.5 car kits.

- 2-part, water-base epoxy.
- Drive on in 3 days.
- Excellent water, impact and abrasion resistance.
- No hot tire pickup.
- Available in 3 premixed colors.
- Gloss finish.

**Kit Contents** — 2-Part Epoxy Burst Pouch, Concrete Etch, Decorative Color Chips, Instruction Sheet.



Kit Covers Up To  
 450-500 SQ. FT. over coated concrete  
 200-250 SQ. FT. over bare concrete

### PREMIUM CLEAR TOPCOAT

Add a high-gloss protective finish to coated or bare concrete surfaces. Apply for excellent wear, impact and abrasion resistance to heavy foot and vehicle traffic.

- 2-part, 100% solids epoxy.
- Drive on in 3 days.
- Superior adhesion, wear and chemical resistance.
- 15X more durable than 1-part epoxy.

**Kit Contents** — 2-Part Epoxy Burst Pouch, Anti-Skid Additive, Stir Stick, Instruction Sheet.

# GARAGE FLOOR COATING TINT BASES

Create a custom look on your garage floors with unique tint color options available. Add the included decorative chips to enhance the appearance.




Kits Cover Up To  
200-250 SQ. FT. for 1 Car Kit


- 2-part, water-base epoxy.
- Drive on in 3 days.
- Excellent water, impact and abrasion resistance.
- No hot tire pickup.
- Gloss finish.

**Kit Contents** – 2-Part Epoxy, Concrete Etch, Decorative Color Chips, Instructions.

## TINT BASE COLORS



## DEEP TINT BASE COLORS



COLOR	KIT	
	ITEM#	BAR CODE
<b>GARAGE FLOOR COATING KITS</b>		
Gray 1 Car Kit	251965	020066 192891
Gray 2.5 Car Kit	251870	020066 192815
Dark Gray 1 Car Kit	327081	020066 374594
Dark Gray 2.5 Car Kit	365186	020066 486006
Tan 1 Car Kit	251966	020066 192907
Tint Base 1 Car Kit	252625	020066 193959
Deep Tint Base 1 Car Kit	319536	020066 360528
Clear Topcoat	292514	020066 308827




Kit Covers Up To  
200-250 SQ. FT.

## BASEMENT FLOOR COATING KIT

EpoxyShield Basement Floor Coating transforms basements and other interior areas into living, playing and working spaces, and is an ideal solution for interior concrete surfaces that may come in contact with water and chemicals.


- Helps prevent concrete chipping, cracking and dusting.
- Resists staining and water.
- 2-part, water-base epoxy.
- Available in 2 premixed colors and a tint base.
- Satin finish.

**Kit Contents** — 2-Part Epoxy, Decorative Color Chips, Stir Stick, Instruction Sheet.



## TINT BASE COLORS

Available in 32 custom colors and can be used with or without decorative color chips.





Kit Covers Up To  
300-400 SQ. FT.

## PROFESSIONAL FLOOR COATING KIT

EpoxyShield Professional Floor Coating forms a tough barrier that resists chemicals, stains and standing water, and is formulated for use in workshops and commercial areas.

- 2-part, solvent-base epoxy.
- Professional-grade adhesion and durability ensures long lasting results.
- Superior resistance to chemicals, wear and standing water.

**Kit Contents** – 2-Part Epoxy, Decorative Color Chips, Instruction sheet.



Shown in Dark Gray with Chips

COLOR	ITEM#	KIT BAR CODE
<b>BASEMENT FLOOR COATING KITS</b>		
Gray	203007	020066 112820
Tan	203008	020066 112905
Tint Base	225446	020066 140243
<b>PROFESSIONAL FLOOR COATING KITS</b>		
Silver Gray	203373	020066 114190
Dark Gray	238467	020066 159634
Dunes Tan	238466	020066 159627

• TRUSTED QUALITY SINCE 1921 •

# RUST-OLEUM®

## Concrete & Garage Floor Paint

1-Part concrete floor paints provide a durable, protective coating to interior and exterior surfaces.

- Great for garages, driveways, patios, basements, pool decks, car ports and more.
- Resists damage from hot tires, oil, grease and gasoline.
- Provides a UV and weather-resistant finish.
- Clear protective topcoats can be added for additional durability.



Shown in Armor Gray



Covers Up To  
300-400 SQ. FT.  
on smooth concrete

## CONCRETE & GARAGE FLOOR PAINT & PRIMER

Rust-Oleum Concrete & Garage Floor Paint & Primer is an easy-to-use, 1-part epoxy coating formulated for interior or exterior concrete surfaces.

- Self-priming, 1-part epoxy paint.
- Resists fading, chipping, stains and hot tire pickup.
- Interior/exterior application.
- Drive on in 5 days.
- Cleans with soap and water.
- Satin finish.

## PREMIXED COLORS



## METALLIC GARAGE FLOOR PAINT & PRIMER

Choose from 3 premixed brilliant metallic finishes.

Covers Up To  
200 sq. ft. with two coats.

## METALLIC PREMIX COLORS



Covers Up To  
150-250 SQ. FT. over bare concrete  
300-400 SQ. FT. over coated concrete

## CLEAR FINISH FLOOR TOPCOAT

Clear protective top coat adds longevity and durability over bare concrete or concrete coated with 1-part epoxy floor paint & primer.

- Advanced acrylic formula.
- Chemical and hot tire resistant.
- Interior/exterior application.
- UV and weather resistant.
- Drive on in 5 days.
- Available in Gloss, Matte or Textured Finish.



## RUST-OLEUM CONCRETE & GARAGE FLOOR PAINT TINT BASES


Customize garage, patio, driveway & basement floors with unique tint color options available. Add decorative color chips to enhance the appearance (sold separately).

- Self-priming, 1-part epoxy paint.
- Resists fading, chipping, stains and hot tire pickup.
- Interior/exterior application.
- Drive on in 5 days.
- Cleans with soap and water.
- Satin finish.

### TINT BASE COLORS



### DEEP TINT BASE COLORS



Shown in Black Night with Chips

PRODUCT	GALLON		5 GALLON	
	ITEM#	BAR CODE	ITEM#	BAR CODE
<b>CONCRETE FLOOR PAINT</b>				
Armor Gray Satin	225359	020066 140441	320173	020066 360412
Battleship Gray Satin	225380	020066 140458	320172	020066 360405
Sand Satin	347121	020066 442491		
Metallic Gunmetal	349353	020066 446147		
Metallic Cobalt Blue	349354	020066 446154		
Metallic Copper	349355	020066 446161		
Clear Topcoat Gloss	320202	020066 357252		
Clear Topcoat Matte	380895	020066 019938		
Clear Topcoat Textured Satin	380896	020066 019952		
Tint Base	225381	020066 140465		
Deep Tint Base	319550	020066 357238	320175	020066 360436

• TRUSTED QUALITY SINCE 1921 •

# RUST-OLEUM HOME®

## FLOOR COATING

TRANSFORMS INTERIOR TILE, VINYL, WOOD & MORE



BEFORE



AFTER

Easy, 2-step system...

<b>STEP 1</b> BASE COAT	CHOOSE YOUR BASE COAT	<b>STEP 2</b> TOP COAT	CHOOSE YOUR TOP COAT
			

Transforming Your Outdated Interior Floors Has Never Been Easier!

**NO**  
STRIPPING  
SANDING  
PRIMING

BEAUTIFUL RESULTS  
WITH SUPERIOR DURABILITY

**DON'T REPLACE,  
JUST PAINT!**




— AVAILABLE IN QUARTS, GALLONS AND KITS —

Each Kit includes:

- Base Coat (quart) • Top Coat (quart) • Bonus 4 oz cleaner
- Covers up to 100 sq. ft. per kit

# ANY ROOM. ANY FLOOR.



## RUST-OLEUM HOME® FLOOR COATING SYSTEM

Rust-Oleum HOME® is a premium, extremely durable, interior floor coating system that allows you to quickly and easily transform the look of outdated floors.

- Easy, 2-step system.
- Superior adhesion to tough surfaces.
- Maximum scratch & stain resistance.
- Walk on in one day.
- Gallons cover up to 400 sq ft.
- Quarts cover up to 100 sq ft.

### STEP 1 – BASE COAT



### STEP 2 – TOPCOAT



Available in Ultra White/  
Tint Base, Deep Tint Base and  
Premix (Quarts Only)

Available in Matte and  
Semi-Gloss

## Base Coat Color Options:

### WHITE TINT BASE COLORS



\*Available in premix quarts †No tinting required

### DEEP TINT BASE COLORS



\*Available in premix quarts

PRODUCT	QUART		GALLON		KIT	
	ITEM#	BAR CODE	ITEM#	BAR CODE	ITEM#	BAR CODE
<b>BASE COATS</b>						
Ultra White/Tint Base	358876	020066 467852	357671	020066 463946		
Deep Tint Base	358877	020066 467869	358370	020066 465797		
Pearl Gray	358874	020066 467838				
Greige	365932	020066 487744				
Aged Gray	365929	020066 487713				
Charcoal Gray	365928	020066 487706				
Navy	365931	020066 487737				
Black	365930	020066 487720				
<b>TOP COATS</b>						
Semi-Gloss Topcoat	358870	020066 466817	358584	020066 466725		
Matte Topcoat	358871	020066 467821	358585	020066 466732		
<b>KITS</b>						
White Tint Base Matte Topcoat Kit					360098	020066 469023
White Tint Base Semi-Gloss Topcoat Kit					360099	020066 469030
Deep Tint Base Matte Topcoat Kit					360100	020066 469047
Deep Tint Base Semi-Gloss Topcoat Kit					360101	020066 469054

# RUST-OLEUM® ACCESSORIES

Proper concrete surface preparation ensures best adhesion of Rust-Oleum, EpoxyShield and RockSolid coatings. We offer a full line of prep and repair products providing solutions for every concrete condition.



## Recoat Primer – For previously coated surfaces

Rust-Oleum Concrete & Garage Recoat Primer eliminates the need to sand, strip or grind off previous coatings. Simply clean, prime and coat.



### CONCRETE & GARAGE RECOAT PRIMER

- Use over previously coated or sealed concrete.
- Advanced formula allows for use over interior and exterior surfaces - including garages, basements, patios and more.
- Covers up to 400 sq. ft.
- Low odor – 6 hr dry time.




Prime with Concrete & Garage Recoat Primer

**NO SANDING  
NO STRIPPING  
NO GRINDING**

**Take the pain out  
of your recoat project.  
Simply clean, prime & topcoat  
with any Rust-Oleum  
floor coating.**

**CLEAN | PRIME | COAT**



## Concrete Cleaner

Cleaning and degreasing the entire concrete surface ensures that all contaminants will be removed for proper adhesion of the coating.



### HEAVY-DUTY DEGREASER

- Cleans tough grease and oil stains.
- Use full strength to clean heavy grease stains on unsealed floors; dilute to clean sealed floor.
- Safe near grass and plants.
- Use on garages, basements, driveways, sidewalks, patios and more.



### CLEANER & DEGREASER

- Breaks down oil, dirt, grease, tire marks, harmful silicates, stains and more.
- Safe near grass.
- Can be diluted and used to clean coated floors.
- Use on garages, basements, driveways, sidewalks, patios and more.

## Concrete Etch

Etching the concrete creates a profile, giving the coating something to bite into.



### CONCRETE ETCH

- Properly prepares concrete surfaces for coating.
- No dangerous acids or fumes.
- Safe near grass and plants.
- Mix 1 lb. of powder with 2 gallons of water. Makes 2 gallons of etching solution.



### CLEAN & ETCH

For maximum adhesion of coatings, paints and stains.

- Properly prepares and cleans concrete surfaces for coating.
- Safe near grass and plants.

## Concrete Patch

Concrete patches should be used to provide an even surface to coat and to help strengthen the concrete.



### PATCH AND REPAIR

- 2-part epoxy – 2:1 mix ratio.
- Paintable in 8 hours.
- Fills cracks up to 1/2" deep.
- Heavy-duty formula permanently bonds concrete.
- Will not shrink or crack.
- Use for patching cracks and holes in concrete and masonry.



### FAST PATCH

- 2-part epoxy – 1:1 mix ratio.
- Paintable immediately.
- Fills cracks up to 1/4" deep.
- Heavy-duty formula permanently bonds concrete.
- Will not shrink or crack.
- Use for patching cracks and holes in concrete and masonry.

ITEM	ACCESSORY	
	ITEM#	BAR CODE
<b>CONCRETE RECOAT PRIMER</b>		
Concrete & Garage Recoat Primer	338806	020066 425654
<b>CONCRETE CLEANERS</b>		
Heavy-Duty Degreaser	214382	020066 132262
Cleaner & Degreaser	301243	020066 322526
<b>CONCRETE ETCH</b>		
Concrete Etch Powder	238475	020066 159719
Clean & Etch	301242	020066 322533
<b>CONCRETE PATCH</b>		
Concrete Patch & Repair	301012	020066 322304
Fast Patch	318322	020066 333034

## Concrete Special Purpose

Some concrete floor conditions require additional prep steps prior to coating.



### PAINT STRIPPER

- Removes multiple layers of stains, sealers and epoxies.
- Ideal for use on previously coated garages that are beginning to peel.
- Gel formula spreads easily.
- Thoroughly clean with Rust-Oleum Cleaner and Degreaser or Heavy Duty Degreaser after use.



### MOISTURE STOP

- For concrete floors with moisture issues.
- Prevents coating failure due to moisture drive from within the concrete.
- Use prior to coating or sealing.
- Interior or exterior use.
- Does not alter appearance of bare concrete.




### 3-IN-1 QUICK PREP

- Interior or exterior use.
- Clean, degrease and etch all-in-one prep solution.
- Prepares bare concrete for proper adhesion of coatings, paints and stains.
- Safe near grass.

## Concrete Coating Accessories

Optional accessories can be used to enhance and protect floor coatings.



### DECORATIVE COLOR CHIPS

- Use with all coatings to enhance concrete floors.
- Hides surface imperfections.
- Use additional chips for more texture.
- Interior/exterior use.
- Multiple color blends available.



### ANTI-SKID ADDITIVE

- Abrasion resistant polycarbonate.
- Creates slip resistant surface.
- Barefoot friendly texture.
- Mix with one gallon or kit of epoxy, latex or oil based paints or stains.

### ANTI-SKID ADDITIVE

- Ultra durable aluminum oxide.
- Creates slip resistant surface.
- Barefoot friendly texture.
- Mix with one gallon or kit of epoxy, latex or oil based paints or stains.

ITEM/COLOR	ACCESSORIES	
	ITEM#	BAR CODE
<b>CONCRETE SPECIAL PURPOSE</b>		
Paint Stripper	310984	020066 344023
Moisture Stop	301239	020066 322540
3-In-1 Quick Prep	362970	020066 480660
<b>DECORATIVE COLOR CHIPS</b>		
Gray Blend	301359	020066 322908
Tan Blend	312447	020066 343057
Mocha Blend	301238	020066 322557
Stone Blend	382289	020066 021290
Glacier Gray Blend	312449	020066 343064
Metallic Silver Blend	336054	020066 420963
Micro Gray Blend	358192	020066 465193
<b>ANTI-SKID ADDITIVES</b>		
Polycarbonate	279847	020066 245702
Aluminum Oxide	301244	020066 322519

# PATIO, WALKWAY & DRIVEWAY

## STAINS, SEALERS & COATINGS



As an extension to interior living spaces, consumers are searching for solutions to easily maintain and improve their outdoor patios, porches, walkways, pool decks and more. Available in quality and trusted brands such as RockSolid, Rust-Oleum, and Seal-Krete, we offer products for concrete, pavers, and wood surfaces. Our products are easy to apply, offer ultimate protection and provide a solution for a customized, high-end look.



# ROCKSOLID® SOLVENT-BASE CONCRETE LACQUERS

## WET LOOK LACQUERS

Seal and protect concrete and masonry against the damaging effects of water, chemicals and UV light while adding a “wet look” finish to the surface. Apply to decorative concrete, pavers, natural stone and more.

- Ideal for use on driveways, patios, walkways, pool decks and more.
- Long-lasting protection against stains, chemicals, abrasion and grease.
- Superior water repellency.
- Interior/exterior use.
- Available in high gloss and low gloss.
- Turbo Sealer for quick application of small concrete projects.
- 1 gal. covers up to 200 sq. ft., 5 gal. covers up to 1,000 sq. ft., Turbo covers up to 25 sq. ft.



PRODUCT	ITEM#	SPRAY	GALLON		5 GALLON	
		BAR CODE	ITEM#	BAR CODE	ITEM#	BAR CODE
<b>WET LOOK LAQUERS</b>						
Low Gloss Wet Look Lacquer			293444	020066 310189	293534	020066 310332
High Gloss Wet Look Lacquer			293443	020066 310165	293522	020066 310240
High Gloss Wet Look TURBO	360292	020066469764				



# ROCKSOLID® WATER-BASE CONCRETE SEALERS

## WET LOOK AND NATURAL LOOK CONCRETE SEALERS

Enhance the appearance while providing a film-forming, protective barrier to keep water out, protect against stains and extend the life of your concrete.

- Ideal for use on driveways, patios, walkways, pool decks, basements and more.
- Seal and protect surfaces from chemicals and stains.
- Excellent water repellency.
- Long-lasting, water-base formula.
- Available in high gloss and low gloss.
- Covers up to 200-400 sq. ft. per gallon.



## PENETRATING CONCRETE SEALER

Seals and protects bare concrete and masonry surfaces from the damaging effects of water, chemicals, and UV light without changing the appearance of the concrete. The water-base formula deeply penetrates and reacts with the concrete to form a protective barrier beneath the surface.

- Ideal for use on driveways, patios, walkways, pool decks, basements and more.
- Invisible in appearance.
- Stain and chemical resistant.
- Superior water repellency.
- Long-lasting, water-base formula.
- Covers up to 250 sq. ft per gallon.



# ROCKSOLID® SPECIALTY SEALERS

## PAVER LOCK

Specialized formula that locks down the joint sand between the pavers to inhibit weed growth and create a longer lasting look.

- Ideal for use on driveways, patios, walkways and more.
- Penetrates below the surface while enhancing the natural appearance of the paver.
- Use with any color paver.
- Superior water repellency.
- Long-lasting, water-base formula.
- 1 gal. covers up to 150 sq. ft., 5 gal. covers up to 750 sq. ft.



PRODUCT	GALLON		5 GALLON	
	ITEM#	BAR CODE	ITEM#	BAR CODE
<b>CONCRETE SEALERS</b>				
Wet Look	317927	020066 352073		
Natural Look	317928	020066 352080		
Penetrating	317929	020066 352097		
<b>SPECIALTY SEALERS</b>				
Paver Lock	293411	020066 310059	293439	020066 310127

# ROCKSOLID® SOLID COLOR STAIN



## CONCRETE STAIN

Say goodbye to dull or mis-matched, ordinary concrete, because you can easily transform concrete with RockSolid Solid Color Concrete Stain. This water-based formula gives ordinary concrete a fresh and uniform look. For use on driveways, walkways, patios, pool decks, basements and more. Customize the Tint Bases to the color of your choice. Over 40 colors to choose from.

- Forms a durable bond to concrete.
- Hot tire and UV resistant.
- Protective barrier from weather and chemical damage.

## STAIN TINT OPTIONS



PRODUCT	ITEM#	GALLON BAR CODE
<b>SOLID COLOR CONCRETE STAIN</b>		
Light Tint Base	365975	020066 487188
Deep Tint Base	365976	020066 487195



# ROCKSOLID® SEMI-TRANSPARENT STAINS



## SEMI-TRANSPARENT CONCRETE STAIN

Add a beautiful look to your concrete projects — inside or outside. Apply just one color of stain to produce a uniform appearance or choose more than one stain color to create unique combinations.

- Easily achieve the look of natural stone.
- Create a decorative accent in your outdoor spaces.
- Use one tint base to create a variety of custom colors.
- Tint up to 34 colors.
- Mix & match stain colors to create multi-colored effects.
- UV resistant.
- Interior/external use.
- Topcoat with a clear sealer for added durability and protection.
- Covers 250-400 sq. ft. per gallon, and 12-16 sq. ft. per aerosol.



Aerosols available in 2 clear sealers.



## GALLON SEMI-TRANSPARENT STAIN TINT OPTIONS




PRODUCT	ITEM#	SPRAY BAR CODE	GALLON ITEM#	GALLON BAR CODE
<b>SEMI-TRANSPARENT CONCRETE STAIN</b>				
Tint Base			239418	020066 162085
<b>CONCRETE AEROSOL SEALERS</b>				
Gloss Clear Sealer	247166	020066 175375		
Matte Clear Sealer	247167	020066 175382		

# ROCKSOLID® TEXTURED COATINGS

## DECORATIVE CONCRETE COATING

Beautify and renew concrete surfaces with a unique, multi-color, slip-resistant finish.

- Durable, wear-resistant coating.
- Unique roller provides proper application and durable, textured effect.
- Gallon covers up to 60 sq. ft. (with two coats) on smooth, bare concrete.
- Interior/exterior use.



PRODUCT	ITEM#	BAR CODE
<b>DECORATIVE CONCRETE COATING</b>		
Brick	306264	020066 332020
Sahara	306265	020066 332037
Slate	306267	020066 332044
Applicator	306214	020066 331689

## ROCKSOLID® ACCESSORIES



### HEAVY DUTY CLEANER

Formulated to clean grease, oil and stains on concrete, brick and masonry.

- Can be used on freshly poured concrete.
- Safe near grass and plants.
- Fast acting.
- Interior/exterior use.



### EFFLORESCENCE REMOVER

Removes white, chalky residue and mild rust stains found on concrete and masonry.

- Brightens concrete & masonry surfaces.
- Safe near grass and plants.
- For use on bare concrete.
- Interior/exterior use.



### CRACK N PATCH

- Repairs surface damage.
- Fills cracks up to 1/2" deep.
- Can be shaped and shaved.
- Fast curing, easy to use.



### PUTTY PATCH

- General purpose concrete and masonry repair.
- Fills cracks up to 7" deep.
- Can be shaped and shaved.
- High strength and durability.



### ANTI-SLIP FLOOR TEXTURE ADDITIVE

- Low profile, slip-resistant surface.
- Use on exterior surfaces like stairs, walk ways, porch, patio and pool decks.
- Barefoot friendly surface.
- Mix with one gallon of epoxy, latex or acrylic coatings, film-forming sealers or lacquers.

PRODUCT	SIZE	ITEM#	BAR CODE
<b>ACCESSORIES</b>			
Heavy Duty Cleaner	1 Gal.	293422	020066 310097
Efflorescence Remover	1 Gal.	293438	020066 310004
Crack N Patch	3 lb. Bag	60629	899201 002834
Putty Patch	3 lb. Bag	60627	899201 002827
Anti-slip Additive	3.4 Oz. Bag	371445	020066 495022

# RUST-OLEUM® PORCHES, PATIOS & DECKS

Beautify porches, patios and decks with these durable coatings, available in a variety of sheens and colors.



## PORCH & FLOOR COATING

Protects and beautifies wood and concrete surfaces with its urethane-fortified acrylic formula. Provides excellent protection against UV rays and water and maximizes resistance to scuffing and fading.

- Available in gloss, semi-gloss and satin.
- Tint Base and Pastel tint colors available.
- Covers up to 400 sq. ft. per gallon, with two coats.



## PORCH & FLOOR COATING WITH ANTI-SKID TEXTURE

Beautify any porch, patio or walkway – with Rust-Oleum® Porch & Floor Coating - Anti-Skid Texture. With the same urethane-fortified acrylic as the original coating, this formula ensures a safe, slip-resistant surface.

- Meets Americans with Disabilities Act (ADA) recommendations for Slip-Resistant Surfaces.
- Tint Base and Pastel tint colors available.
- Covers up to 400 sq. ft. per gallon, with two coats.


## TINT BASE COLORS



## PASTEL TINT BASE COLORS



## PREMIXED COLORS\*



\* PURE WHITE CAN BE USED TO CREATE PASTEL TINT BASE COLORS

PRODUCT	GALLON	
	ITEM#	BAR CODE
<b>GLOSS</b>		
Gloss Tint Base	320471	020066 360702
Gloss Pure White/Pastel Tint Base	320472	020066 360719
Gloss Dove Gray	320473	020066 371852
Gloss Pewter	320474	020066 360931
<b>SEMI-GLOSS</b>		
Semi-Gloss Tint Base	262361	020066 212605
Semi-Gloss Pure White/Pastel Tint Base	262289	020066 212575
Semi-Gloss Dove Gray	320419	020066 360689
Semi-Gloss Pewter	320420	020066 360696
<b>SATIN</b>		
Satin Tint Base	262363	020066 212612
Satin Pure White/Pastel Tint Base	262360	020066 212599
Satin Dove Gray	320417	020066 360665
Satin Pewter	320418	020066 360672
<b>ANTI-SKID TEXTURE</b>		
Anti-Skid Tint Base	262367	020066 212650
Anti-Skid Pure White/Pastel Tint Base	262366	020066 212643
Anti-Skid Dove Gray	262365	020066 212636
Anti-Skid Pewter	320475	020066 360948





For over 35 years, SEAL-KRETE® has been the professional's choice in weatherproofing protection for concrete and masonry. Today we serve both professional contractors and do-it-yourself homeowners with a complete line of products developed for surface protection and beautification of residential and commercial concrete surfaces. Our products are formulated to provide long-lasting protection and durability, to achieve a wide variety of looks and to cover a range of applications and needs.



Shown in Epoxy-Seal Sand with Chips



## PRODUCTS FOR EVERY JOB

- Prep & Prime — preparation is key to maintaining as well as coating any concrete surface.
- Vertical Waterproofing — covering a variety of surfaces, Seal-Krete products seal and protect from water and nature's elements.
- Paints and Coatings — overhaul concrete surfaces and enjoy a customized space.
- Horizontal Sealing — choose from a variety of sheens and features to protect and enhance outdoor living spaces.



# SEAL-KRETE ORIGINAL



## ORIGINAL WATERPROOFING PRIMER/SEALER

Protects vertical concrete and masonry against the damaging effects of moisture penetration. It penetrates deeply into concrete pores, binding sand and cement particles to form a tough, flexible, breathable film. Original is excellent for binding chalky surfaces to improve paint adhesion on all painted and unpainted substrates including concrete block, stucco, aluminum siding, drywall and plaster. It strengthens mortar joints, reduces efflorescence on brick and rejuvenates color on older painted surfaces like aged vinyl siding and stucco.

- Seals and protects against 98 mph wind-driven rain.
- Binds paints to painted or unpainted brick, stucco, vinyl and metal.
- Strengthens mortar joints, seals chalky surfaces and prevents efflorescence.
- Revitalizes faded color on metal or vinyl siding and pre-cast roof tiles.
- 1 gal covers up to 300 sq. ft., 5 gal covers up to 1500 sq. ft.



PRODUCT	SIZE	ITEM#	BAR CODE
<b>SEAL-KRETE ORIGINAL</b>			
Original	1 Gal.	100001	0 15944 10001 3
Original	5 Gal.	100005	0 15944 10005 1

SURFACE	PROTECTS	PRIMES	BRIGHTENS/REJUVENATES
Brick & Mortar	●	●	●
Plaster	●	●	●
Stucco	●	●	●
Concrete Walls	●	●	●
Vinyl Siding	●	●	●
Painted Aluminum/Mobile Homes	●	●	●
Painted Metal	●	●	●

### REVITALIZES, SEALS & PROTECTS

FOR USE ON:

STUCCO	BRICK
BLOCK	SIDING
VINYL	CONCRETE



# SEAL-KRETE CONCRETE PAINTS



## EPOXY-SEAL CONCRETE & GARAGE FLOOR PAINT

A ready-to-use, acrylic-epoxy blend formulated to resist hot tire pickup, water, oil, grease and gasoline stains. This epoxy-fortified formula dries to a durable, UV-resistant, satin finish that resists scuffing, peeling, blistering and fading. Epoxy-Seal is easy to maintain, making it ideal for both interior and exterior high-traffic areas including garage floors, driveways, shop floors, basements, pool decks, walkways, patios, porches and more.

- 3X more durable than porch & floor paint.
- Resists water, oil, grease, gas & salt.
- Resists peeling, blistering & hot tire pickup.
- Ready-to-use, 1-part acrylic-epoxy.
- Soap & water clean up.
- 1 gal covers up to 500 sq. ft., 5 gal covers up to 2500 sq. ft.



Shown in Armor Gray



Shown in New Concrete with Chips

## AVAILABLE IN 3 PREMIXED AND 2 TINT BASES



Tint up to 38 custom colors on page 34



## PORCH & FLOOR PAINT

Protects and beautifies wood and concrete surfaces with its urethane-fortified acrylic formula. Provides excellent protection against UV rays and water and maximizes resistance to scuffing and fading. 1 gal covers up to 400 sq. ft.



PRODUCT	SIZE	ITEM#	BAR CODE
<b>CONCRETE PAINTS</b>			
Epoxy-Seal Slate Gray No. 962	1 Gal.	317395	020066 349899
Epoxy-Seal Armor Gray No. 961	1 Gal.	317396	020066 349905
Epoxy-Seal Charcoal Gray	1 Gal.	370771	020066 493165
Epoxy-Seal White Base No. 960	1 Gal.	317397	020066 349912
Epoxy-Seal Deep Base No. 970	1 Gal.	317398	020066 350024
Epoxy-Seal Slate Gray No. 962	5 Gal.	351217	020066 450359
Epoxy-Seal Armor Gray No. 961	5 Gal.	351218	020066 450342
Epoxy-Seal White Base No. 960	5 Gal.	351219	020066 450366
Epoxy-Seal Deep Base No. 970	5 Gal.	351220	020066 450328
<b>PORCH &amp; FLOOR PAINTS</b>			
Satin Dove Gray	1 Gal.	316127	020066 347208
Gloss Armor Gray	1 Gal.	384334	020066 024154
Satin Pewter	1 Gal.	316128	020066 421717

# SEAL-KRETE TEXTURED COATINGS



## FLOOR-TEX TEXTURED CONCRETE COATING

A durable, non-slip, textured coating that provides a decorative finish for concrete and masonry surfaces such as pool decks, patios, porches, ramps and walkways. Paintable and tintable, this premium acrylic formula hides surface imperfections while providing a tough finish that resists damage from moisture, salt, oil, gas and chlorine. Performance-tested on commercial traffic sites, Floor-Tex outwears conventional anti-skid coatings, paints and stains. It's also suitable for wood stairs. Meets ADA requirements for non-slip coatings.

- Non-slip decorative finish for concrete & masonry surfaces.
- Resistant to moisture, salt, chlorine and oil.
- Hides imperfections, stains & discolorations.
- Also available in low VOC formula.
- 1 gal covers up to 60 sq. ft. with two coats, 5 gal covers up to 300 sq. ft. with two coats.



## AVAILABLE IN 2 PREMIXED AND 2 TINT BASES




**Tint up to 38 custom colors on page 34**



## FLOOR-TEX 40# NON-SLIP TEXTURED COATING

- Non-slip decorative finish for concrete & masonry surfaces.
- Resistant to moisture, salt, chlorine and oil.
- Hides imperfections, stains & discolorations.
- Just add one gallon of Seal-Krete Epoxy-Seal or Garage Floor Paint.
- Meets ADA requirements for non-slip coatings.
- Brush, roll or spray.
- 5 gal covers up to 300 sq. ft. with two coats.
- 1 gal covers up to 200 sq. ft.




ITEM/COLOR	SIZE	ITEM#	BAR CODE
<b>TEXTURED COATINGS</b>			
Floor-Tex Low VOC White Base No. 460	1 Gal.	460001	0 15944 46001 8
Floor-Tex Low VOC White Base No. 460	5 Gal.	460005	0 15944 46005 6
Floor-Tex Low VOC Deep Base No. 470	1 Gal.	470001	0 15944 47001 7
Floor-Tex Low VOC Deep Base No. 470	5 Gal.	470005	0 15944 47005 5
Floor-Tex 40#	40 lb.	401003	0 15944 40140 0

# SEAL-KRETE HORIZONTAL SEALING

## CLEAR-SEAL CONCRETE PROTECTIVE SEALER

A ready-to-use premium sealer that penetrates deeply to seal and protect painted, stained or bare concrete. It goes on milky white and dries to a clear finish, enhancing the natural character of your surface. Clear-Seal is a durable urethane-fortified acrylic sealer with low odor, and low VOCs. It has excellent chemical resistance and repels stains, making it ideal for pool decks, patios, porches, driveways, garages or anywhere you want to protect and beautify painted, stained or bare concrete. Available in satin or gloss sheens.

- Extends life of painted, stained, textured & bare concrete surfaces.
- Resistant to moisture, salt, chlorine, oil & hot tire pickup.
- Highly durable non-yellowing acrylic.
- 1 gal covers up to 300 sq. ft., 5 gal covers up to 1500 sq. ft.



## WET LOOK HIGH GLOSS TURBO

Eliminate the mess and hassle of using a pump sprayer with this ready-to-use, easy, fast aerosol application. The solvent-base formula enhances the appearance while providing a film-forming, protective barrier to keep water out, protect against stains, and extend the life of your concrete.






- Ideal for planters, stairs, walkways, small projects, patios, and more.
- 10 inch wide spray for fast coverage.
- Premium wet look sealer resists stains, UV and water damage.
- Excellent protection against stains, chemicals, abrasion and grease.
- Covers up to 25 sq. ft.



## MULTI-SURFACE ALL-PURPOSE WATER REPELLENT

Designed to provide protection for a variety of surfaces. It's an excellent dustproof, resists oil stains, protects against damage from moisture penetration and road salts and resists hot tire pickup.

- Protects against water penetration.
- Resists oil stains, salts & hot tire pickup.
- Extreme beading, non-yellowing.
- Vertical and horizontal surfaces.
- 5 gal covers up to 1500 sq. ft.



PRODUCT	SIZE	ITEM#	BAR CODE
<b>HORIZONTAL SEALING</b>			
Clear-Seal Satin Protective Sealer	1 Gal.	604001	015944 604016
Clear-Seal Satin Protective Sealer	5 Gal.	604005	015944 604054
Clear-Seal Gloss Protective Sealer	1 Gal.	606001	015944 606010
Clear-Seal Gloss Low VOC	1 Gal.	607001	015944 6070170
Clear-Seal Gloss Protective Sealer	5 Gal.	606005	015944 606058
Clear-Seal Low Gloss Protective Sealer	1 Gal.	365001	015944 365016
TURBO High Gloss Wet Look Aerosol	24 Oz.	357925	020066 464066
Multi-Surface Water Repellent	5 Gal.	SK201005	015944 201055

# SEAL-KRETE VERTICAL WATERPROOFING



## HEAVY-DUTY CONCRETE & MASONRY WATERPROOFER

A water-based, 25% solids, acrylic formula designed to stop water penetration into low density or porous vertical concrete and masonry surfaces such as split-face or fluted concrete block. Heavy-Duty provides a tough, flexible, breathable film which prepares these surfaces for painting. It's also excellent for binding chalky surfaces on painted or bare vertical substrates including concrete block, tilt-ups, stucco and aluminum siding. It's unbeatable for strengthening mortar joints. Heavy-Duty lowers surface pH on alkaline substrates and revitalizes the natural colors of surfaces including aged vinyl siding, aluminum siding and stucco.

- Stops water penetration.
- High solids formula for use on split-face, fluted & decorative block.
- Binds chalky surfaces & strengthens mortar joints.
- Above grade use.
- 5 gal covers up to 1500 sq. ft.



**For Residential & Commercial Use**


**Conforms to ASTM E-514 & Other Tests for Wind-Driven Rain**



## DAMPLOCK MASONRY WATERPROOFING PAINT

A ready-to-use, ultra low odor formula for concrete and masonry. Suitable for above and below grade use, DampLock Masonry Waterproofing Paint withstands up to 15 psi of hydrostatic pressure — meeting the ASTM standard for below grade waterproofing. It reduces radon gas penetration through basement walls and is ideal for use on concrete and cinder blocks, retaining walls, bird baths, pre-cast fixtures and foundations.

- 15 year warranty.
- Stops up to 15 psi.
- Resists mold & mildew.
- Easy-clean finish, no sand or grit.
- Low VOC/low odor.
- 1 gal covers up to 125 sq. ft., 5 gal covers up to 625 sq. ft.
- Paintable.



PRODUCT	SIZE	ITEM#	BAR CODE
<b>VERTICAL WATERPROOFING</b>			
Heavy-Duty	5 Gal.	700005	0 15944 70005 3
DampLock Masonry Waterproofing Paint	1 Gal.	131001	0 15944 13101 7
DampLock Masonry Waterproofing Paint	5 Gal.	131005	0 15944 13105 5

# SEAL-KRETE PREP & PRIME



## QUICK PREP 3-IN-1

Combines the three most important steps to properly prepare your concrete into one step. Proper surface preparation maximizes the durability and life of your coating. With Quick Prep 3-in-1, clean, degrease and etch in one easy step to allow for proper adhesion of coatings, paints and stains. Quick Prep 3-in-1 saves you time and money while ensuring maximum adhesion for any concrete-coating project.

- Prepares bare concrete to proper adhesion of coatings.
- Safe for use near grass.
- Ready-to-use solution.



## LOCK-DOWN CONCRETE BONDING PRIMER

A self cross-linking epoxy floor bonding primer for concrete surfaces. Its nanotechnology improves adhesion with its ultra-fine, nano-sized particles that penetrate deeply into the concrete, while locking down the chalk and providing a clean, sound substrate for a topcoat of water-based floor paints, stains and textured coatings.

- Helps lock paints and stains to bare or painted concrete.
- Self cross-linking epoxy & nanotechnology for superior topcoat adhesion.
- Reduces peeling & hot tire pickup.
- 1 gal covers up to 500 sq. ft.



**F-Style Shown**

PRODUCT	SIZE	ITEM#	BAR CODE
<b>PREP &amp; PRIME</b>			
Quick Prep 3-In-1	128 Oz.	370770	020066 493158
Lock-Down Primer	1 Gal.	106001	0 15944 10601 5
Lock-Down Primer F-Style	1 Gal.	116001	0 15944 11601 4

# SEAL-KRETE COLOR OPTIONS



#930 Simply White #4430 Simply White  
 #910 Aqua Mist #4410 Mystic Sea  
 #912 Tropical Beach #4412 Aqua Punch  
 #909 Dry Earth #4409 Toasted Oatmeal  
 #908 Honey Cream #4408 Sunflower  
 #915 Mellow Mauve #4415 Dusty Berry



#919 New Concrete #4419 Aspen Gray  
 #911 Crystal Sea #4411 Sea Foam  
 #913 Sky Blue #4413 Ocean Mist  
 #924 Sand #4424 Sandy Point  
 #926 Wheat #4426 Honeycomb  
 #914 Country Rose #4414 Sweet Mauve



#921 Armor Gray #4421 Morning Fog  
 #945 Sage #4545 Silver Moss  
 #928 Ice Blue #4428 Bayshore  
 #925 Taupe #4425 Stonecliff  
 #916 Golden Road #4416 Caramel  
 #917 Canyon Clay #4417 Melon



#922 Slate Gray #4422 Nantucket  
 #951 Aqua Marine #4551 Tropical Rainforest  
 #929 Blue Ridge #4429 Montawk  
 #927 Fawn #4427 Wicker  
 #948 Ginger #4548 Copper Sun  
 #954 Almond Delight #4554 Painted Desert



#923 Pewter #4423 Flintrock  
 #946 Cactus #4546 Thicket  
 #952 Gray Sky #4552 Hazy Blue  
 #918 Sahara Desert #4418 Maple  
 #942 Cayenne #4542 Sedona Clay  
 #943 Brick Red #4543 Brick Path



#944 Charcoal Gray #4544 Graymantle  
 #947 Pine #4547 Courtside  
 #953 Twilight Blue #4553 Mountain River  
 #949 Cocoa #4549 Dark Timber  
 #941 Cigar #4541 Tobacco  
 #955 Brickstone #4555 Cranberry Wine





#956 Plump Grape #4556 Sweet Plum  
 #950 Black Knight #4550 Black Knight

**Black = Epoxy-Seal**  
**Red = Floor-Tex**

NOTE: Color is affected by light, heat, age, condition of surface and application method. Some variation in color may occur between sample and finished coating. For best results when using more than one gallon, intermix like colors to ensure color consistency.

# PRODUCT USAGE CHART

Products	Interior Concrete / Masonry Surfaces				Exterior Concrete / Masonry Surfaces									
	Bare Basement Walls	Bare Concrete / Basement Floors	Bare Concrete Garage Floors	Previously Coated Garage Floors	Bare Concrete Driveways	Bare Concrete Patios & Walkways	Swimming Pool Decks	Previously Coated Surfaces	Foundations	Retaining Walls	Brick Walls	Concrete Block or Stucco		
Clean-N-Etch		●	●		●	●	●							
Lock-Down		●	●	●	●		●							
Original							●	●	●	●	●	●		
Heavy-Duty							●	●	●			●		
DampLock	●							●	●					
Floor-Tex					●	●	●	●						
Epoxy-Seal		●	●	●	●	●	●							
Clear-Seal		●	●	●	●	●	●							
Multi-Surface					●					●				



# OKON®

Okon Water-Repellent Sealers protect concrete and masonry surfaces from the damaging effects of water penetration. Formulated for all types of concrete and masonry surfaces, the OKON line includes two types of water-repellent sealers. All Okon sealers are ready-to-use, non-yellowing breathable formulas that let the natural beauty and texture of decorative concrete show through and resist high alkalinity, chloride salts and blushing. The line also includes protective sealers for horizontal surfaces, including driveways and patios as well as graffiti protection systems.

All Okon products are water-based, low-odor and low VOC to comply with VOC standards in all jurisdictions including South Coast Air Quality Management District (SCAQMD) standards.



## OKON® S-40 – HEAVY DUTY PENETRATING WATER-REPELLENT SEALER

- For porous concrete & masonry.
- Use on vertical surfaces including old brick, smooth and split face block and exposed aggregate.
- Creates a hydrophobic barrier against water absorption.
- 100% reduction in water leakage on brick per ASTM E514 Wind Driven Rain Test.
- Meets NCHRP Report No. 244 and SS-W-110C.
- Clear.
- Ready-to-use.



## OKON® S-20 – PENETRATING WATER-REPELLENT SEALER

- For dense concrete & masonry.
- Use on vertical surfaces including cast concrete, tilt-up, brick and stucco, and horizontal surfaces including concrete pavers for pool decks, patios and walkways.
- Creates a hydrophobic barrier against water absorption.
- Excellent for protecting against efflorescence.
- Clear.
- Ready-to-use.



## OKON® PLUGGER – WATER-REPELLENT SEALER

- For very porous concrete & masonry.
- Use on porous, decorative concrete block including split face, fluted, and scored concrete masonry units (CMU).
- Includes MicroPlug® Technology, a high performance proprietary acrylic emulsion that plugs concrete pores to prevent water absorption.
- Demonstrated superior results on split face block per ASTM E514 Wind Driven Rain Test.
- Clear.
- Ready-to-use.



## OKON® W-2 – WATER-REPELLENT SEALER

- For porous concrete & masonry.
- Use on porous and textured concrete and masonry, same medium weight and normal weight concrete block, rough stucco, slump block and cast stone.
- Includes MicroPlug® Technology, a high performance proprietary acrylic emulsion that plugs concrete pores to prevent water absorption.
- Clear.
- Ready-to-use.



## OKON® W-1 – WATER-REPELLENT SEALER

- For dense concrete & masonry.
- Use on vertical dense concrete including formed concrete, tilt-up, pre-cast and exposed aggregate.
- Dust proofs concrete floors.
- Includes MicroPlug® Technology, a high performance proprietary acrylic emulsion that plugs concrete pores to prevent water absorption.
- Clear.
- Ready-to-use.



## OKON® MULTI-SURFACE – WATER-REPELLENT SEALER

- For brick, wood and concrete.
- Use on fences, decks, patios, walkways, siding, doors and window sills.
- Protects against the damaging effects of water.
- No sheen or film build-up.
- Clear.
- Ready-to-use.



PAINTS & SEALERS	GALLON		5 GALLON	
	ITEM#	BAR CODE	ITEM#	BAR CODE
<b>WATER-REPELLENT SEALERS</b>				
Okon S-40			OK640	749505 640051
Okon S-20			OK620	749505 620053
Okon Plugger			OK950	749505 950051
Okon W-2	OK921	749505 920016	OK920	749505 920054
Okon W-1	OK911	749505 910017	OK910	749505 910055
Okon Multi-Surface			OK930	749505 930053

## Horizontal Sealers



### OKON SEAL & FINISH® CONCRETE & MASONRY SEALER

- Protects patios, pool decks, stained or stamped concrete and other horizontal surfaces including basement floors.
- Makes the surface durable, water and stain resistant, and easier to clean.
- Can be used over or under any concrete coating; is a protective layer over decorative concrete stains.



## Paint Additive



### OKON® PAINTBOOSTER® WATER-REPELLENT ADDITIVE

- Add to any exterior latex paint or stain.
- Reduces premature paint failure, wood rot, mold growth, and dirt pick-up.
- Increases open time when painting.
- Reduces brush, roller and lap marks.
- Ideal for painting window sills, trim and any areas prone to collecting water.



## Graffiti Protection



### OKON® GRAFFITI BARRIER COAT

- One component coating for sealed and unsealed concrete and masonry and other sealed surfaces – paint, metal, EFIS.
- Protects underlying surface from permanent staining when tagged with graffiti.
- Protects against wind-driven rain and damaging effects of water.
- Makes graffiti easier to remove.
- Clear.
- Ready-to-use.



SEALERS	ITEM#	GALLON BAR CODE	ITEM#	5 GALLON BAR CODE
<b>HORIZONTAL SEALERS</b>				
Seal & Finish	OK941	749505 940014	OK940	749505 940052
<b>PAINT ADDITIVE</b>				
Paint Booster	OK811	749505 810010		
<b>GRAFFITI PROTECTION</b>				
Graffiti Barrier Coat	OK221	749505 220017	OK220	749505220055

# SUPERIOR PROTECTION FOR CONCRETE AND MASONRY

OKON has a family of water repellent sealers to protect most interior or exterior, vertical or horizontal, concrete and masonry surfaces.


Select the recommended **OKON** product for your building or project

Products	Penetrating Sealers		Penetrating Acrylic Barriers				Sealers	Graffiti Protection
	S-40	S-20	Pluggler	W-2	W-1	Multi-Surface	Seal & Finish	Graffiti Barrier Coat
Concrete/Masonry Type of Surfaces	Porous to very porous	Dense to porous	Highly porous	Porous	Dense	Porous & Dense	Horizontal	All Surfaces
Decorative Block: Split Face, Fluted, Wire cut & Smooth Face	●		●	●				●
Cast Concrete: Tilt Up, Poured in Place, Pre-Stressed & Pre-cast		●		●	●			●
Horizontal Concrete		●				●	●	
Sand Blasted Cast Concrete		●		●				●
Natural Stone: Slate, Granite, Limestone, Sandstone, etc.					●			
Rough Stucco & Stucco		●		●		●		●
Vertical Unpainted Wood						●		●
Clay Bricks: Glazed and Unglazed	●	●			●	●		●

● = Recommended Use

To test the porosity of the concrete surface, perform a Rilem Tube test. To obtain a Rilem Tube, contact your local representative. For % solids content refer to Technical Data Sheet.

\*Test area required, some highly porous block cannot be sealed adequately with a clear sealer



Cast Stone



Rough Stucco



Exposed Aggregate



Brick



11 Hawthorn Pkwy., Vernon Hills, IL 60061  
800-323-3584 [rustoleum.com](http://rustoleum.com)