



ROOF RESTORATION






11 Hawthorn Pkwy., Vernon Hills, IL 60061
800-323-3584 rustoleum.com/roofing

©2023 Rust-Oleum Corporation

371347 0323 KS



CONTENTS

Warranty	page 5
Common Issues	page 6
	page 8
	page 13
	page 16

Why Choose Rust-Oleum?



Powerful Solutions Since 1921

Solving challenges is who we are. When our founder, sea captain Robert Fergusson, noticed that an accidental splash of fish oil stopped corrosion on his rusty metal deck, he immediately recognized it for what it was:

A valuable solution.

That discovery led Fergusson to create the world's first rust-preventive paint. That same passion still drives us today. When we see a problem, we won't stop until we find a solution.



Our Roofing System

Our Roofing line includes silicone, white elastomeric, aluminum and black roof coatings. Each has strong warranties and industry certifications. Additionally, the program includes patch & repair products for roofs which are easy to use and available in a wide variety of sizes.

Our coatings provide durability and excellent resistance to weathering. They offer rust proofing, energy efficiency and protection against harmful UV rays. You can use Rust-Oleum Roofing products with confidence knowing that we have some of the highest quality coatings made to perform in the harshest conditions.



We're With You Every Step of the Way

Our knowledgeable Sales and Product Support teams will make sure you have everything you need to get the job done right—the first time and every time.

Building on Rust-Oleum's reputation as a leading brand for protection, you can be sure you're using some of the most dependable and innovative products on the market.

Provide Restoration Solutions That Customers Value

- Money Saving Solutions
- Long-Term Warranties
- Less Disruptive
- Maintainable and Restorable
- Tested and Proven Performance

Avoid Time-Consuming and Costly Tear-Offs

There's no need to tear off and replace your weathered and leaking roof. By re-covering, you save on labor costs and avoid landfill expenses. Your existing roof can be re-covered without interrupting your normal business operations.

Extend the Life of Your Roof

Fluid applied coating technology provides a seamless weather-tight seal that protects the substrate against ultraviolet light and severe weather, eliminating the common sources of leaks.

Utility Rebates

Depending on location, utility companies may offer rebates for coating projects up to \$0.50/sq.ft. based on project size. The customer may also receive a rebate based on dollars/kilowatt reduction. To qualify, an application with pre-job and post-job inspection is typically required.

Instant Savings

Our products can help reduce your energy usage by reducing internal HVAC loads. They help to create comfortable working environments within your building by improving thermal comfort and substantially reducing the carbon footprint created by your building with the Urban Heat Island effect.

Sustainable Building Design

With our sustainable "reuse" of the current roofing system, there is no tear-off required prior to application. The tear cost, \$1.00/sq.ft. avg, plus the cost of transporting tear-off material to a landfill (\$0.30/sq.ft. avg), are eliminated. Our restoration systems also come with a wide variety of sustainable and renewable warranty options.

		Good (Renew)	Better (Renew Advanced)	Best (Renew Platinum)
Coverage Overview	Covers Material	Yes	Yes	Yes
	Covers Labor	No	Yes	Yes
	Cost	Free	\$ (See pricing below)	\$\$ (See pricing below)
	Years of Warranty (see chart below for specifics)	10-50 years	10-20 years	10-20 years
Workmanship Coverage	Misapplication of Rust-Oleum Coating System	No	No	Yes*
Peace of Mind	Rust-Oleum Certified Contractor	Yes	Yes	Yes
	24/7 Contractor Support to Fix Active Leaks	No	No	Yes*
	Non-Prorated Warranties	Yes	Yes	Yes

WARRANTY YEARS

RUST-OLEUM 995 SILICONE ROOF COATING

	Warranty Offerings	10 Year Warranty**	15 Year Warranty**	20 Year Warranty**	50 Year Warranty**
Roof Type	Metal	Yes	Yes	Yes	Yes
	Built-Up	Yes	Yes	Yes	Yes
	Modified Bitumen	Yes	Yes	Yes	Yes
	Single-Ply	Yes	Yes	Yes	Yes
	Concrete	Yes	Yes	Yes	Yes
	Spray Polyurethane Foam	Yes	Yes	Yes	Yes

RUST-OLEUM 880 ELASTOMERIC ROOF COATING

	Warranty Offerings	10 Year Warranty**	15 Year Warranty**	20 Year Warranty**
Roof Type	Metal	Yes	Yes	Yes
	Built-Up	Yes	Yes	N/A
	Modified Bitumen	Yes	Yes	N/A
	Single-Ply	Yes	Yes	N/A
	Concrete	Yes	Yes	N/A
	Spray Polyurethane Foam	Yes	Yes	N/A

RUST-OLEUM 870 ELASTOMERIC ROOF COATING

	Warranty Offerings	10 Year Warranty**	12 Year Warranty**
Roof Type	Metal	Yes	Yes
	Built-Up	Yes	Yes
	Modified Bitumen	Yes	Yes
	Single-Ply	Yes	Yes
	Concrete	Yes	Yes
	Spray Polyurethane Foam	Yes	Yes

RUST-OLEUM 670 ALUMINUM ROOF COATING

	Warranty Offerings	10 Year Warranty**	12 Year Warranty**
Roof Type	Metal	Yes	Yes
	Built-Up	Yes	Yes
	Modified Bitumen	Yes	Yes
	Single-Ply	N/A	N/A
	Concrete	N/A	N/A
	Spray Polyurethane Foam	N/A	N/A

* After first 2 years of warranty period
 ** Coating system must be applied per manufacture specification

Modified Bitumen/Built-Up – Common Issues



BLISTERS

Cause

Moisture entrapment underneath the roofing membrane.

Solution

Conduct a 3 course repair with Rust-Oleum Rubberized Wet Patch, Plastic Roof Cement or Wet Roof Repair over the affected area.



ALLIGATORING


Cause

Generally occurs on aged roofs where UV sun exposure has caused the membrane to dry out and become hard and brittle causing surface cracking.

Solution

Flood coat the effected area with Rust-Oleum 380 Non-fibered Asphalt Emulsion or 350 Fibered Black Roof Coating.

Single-Ply – Common Issues



OPEN LAPS/SEAMS

Cause

Open laps/seams can occur when the adhesive or heat application has failed to be applied at both seam interfaces allowing for improper bonding of the two surfaces.

Solution

Conduct a 3 course repair with Rust-Oleum Elastomeric Roof Patch or Silicone Roof Sealant over the affected area.



EXPOSED SCRIM

Cause

Occurs in PVC/TPO thermoplastic membranes where UV deterioration has affected the areas over long periods of time. Oxidation causes the membrane to thin down exposing the reinforcement scrim.

Solution

Clean the affected area with One Step Roof Prep then coat with 870 Elastomeric, 880 Elastomeric or 995 Silicone Roof coatings.

Metal – Common Issues



CORROSION

Cause

Water molecules penetrate microscopic pits and cracks on the surface of metal where it reacts with iron to form rust. This destructive process dissolves metal and weakens the structure over time. Metal should never be left exposed directly to the elements.

Solution

Metal always needs a protective coating when exposed in an outside environment. First remove any loose rust off the substrate. Then apply Rust-Oleum Aluminum, Elastomeric or Silicone roof coating systems per specification.



LOOSE/LIFTED FASTENERS

Cause

As a metal roof heats up, the entire roof expands. Likewise, cold temperatures outside cause the roof to contract. These expansion and contraction cycles will cause strain on the screws that hold the roof material to the building, causing those fasteners to loosen.

Solution


Re-tighten fastener to substrate. Next, remove any loose rust with a wire brush. Then evaluate and replace with over sized retrofit fastener to create structural integrity and a water-tight seal. Prime fastener with Rust-Oleum 115 Hybrid Epoxy 1K Primer. Lastly, seal the fastener with Rust-Oleum Elastomeric Roof Patch, Silicone Roof Sealant or Neoprene Rubber Cement.

Built-Up/Mod Bit Roofs



Modified Bitumen Layered System

ROOFING RESTORATION PROCESS (SILICONE SYSTEM)



SILICONE RESTORATION SYSTEM – OPTION 1

Step 1



ONE-STEP ROOF PREP CLEANER

- Concentrated cleaning solution for all types of roofs
- Low foaming, high efficiency, easy to rinse degreaser
- Removes dirt, grease and contaminants from a roof
- Specifically formulated to clean all rooftop surfaces before coating
- Contains no bleach or solvents
- Very low odor

PRODUCT	SIZE	ITEM	BAR CODE	CASE
CLEAN				
ONE-STEP ROOF PREP	1 gal	361456	020066 479091	4
ONE-STEP ROOF PREP	5 gal	361455	020066 479084	1

Step 2



130 ACRYLIC PRIMER

- Bleed blocking primer designed for use on built-up/modified bitumen roof types
- Promotes adhesion on roofing substrates
- Distinct high visibility green color ensures topcoat application without missing a spot
- Will accept elastomeric and silicone topcoats



115 HYBRID EPOXY 1K PRIMER

- Universal water-based epoxy amine-adduct primer
- Adhesion promoter
- Rust preventive primer & bleed blocking
- Will accept elastomeric and silicone topcoats
- Use on built-up/modified bitumen and metal roof types

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PRIME				
130 ACRYLIC PRIMER - HIGH VIS GREEN	5 gal	364544	020066 485306	1
130 ACRYLIC PRIMER - HIGH VIS GREEN	55 gal	365241	020066 485504	1
130 ACRYLIC PRIMER - HIGH VIS GREEN	275 gal	365242	020066 486129	1

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PRIME				
HYBRID EPOXY 1K 115 PRIMER - GRAY	5 gal	355905	020066 460679	1
HYBRID EPOXY 1K 115 PRIMER - GRAY	55 gal	363232	020066 363235	1
HYBRID EPOXY 1K 115 PRIMER - GRAY	275 gal	363235	020066 482022	1

Step 3



SILICONE ROOF SEALANT

- A high solids non-shrinking moisture cure silicone sealant
- Solvent free and minimal odor
- Use to seal penetrations and terminations
- Excellent adhesion to many common building materials
- May be applied to wet and underwater surfaces

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PATCH & REPAIR				
SILICONE ROOF SEALANT - GRAY	1 gal	353298	020066 455002	2
SILICONE ROOF SEALANT - WHITE	10.1 oz	338772	020066 425302	12
SILICONE ROOF SEALANT - WHITE	1 gal	338726	020066 425388	2
SILICONE ROOF SEALANT - WHITE	3.3 gal	339670	020066 428594	1

Step 4



995 SILICONE COMMERCIAL GRADE ROOF COATING

- A 95% high solids, 100% silicone-based roof coating
- Creates a durable, breathable, watertight and weather proof barrier
- Excellent wet/dry adhesion
- 88% reflectivity
- Resists ponding water
- Resists rain after 1 hour
- Restores built-up, modified bitumen, metal, aged single-ply and spf roof systems

PRODUCT	SIZE	ITEM	BAR CODE	CASE
TOPCOAT				
995 SILICONE ROOF COATING - BRIGHT WHITE	5 gal	360849	020066 477240	1
995 SILICONE ROOF COATING - BRIGHT WHITE	50 gal	363841	020066 484026	1

ELASTOMERIC RESTORATION SYSTEM – OPTION 2

Step 1



ONE-STEP ROOF PREP CLEANER

- Concentrated cleaning solution for all types of roofs
- Low foaming, high efficiency, easy to rinse degreaser
- Removes dirt, grease and contaminants from a roof
- Specifically formulated to clean all rooftop surfaces before coating
- Contains no bleach or solvents
- Very low odor

PRODUCT	SIZE	ITEM	BAR CODE	CASE
CLEAN				
ONE-STEP ROOF PREP	1 gal	361456	020066 479091	4
ONE-STEP ROOF PREP	5 gal	361455	020066 479084	1

Step 2



130 ACRYLIC PRIMER

- Bleed blocking primer designed for use on built-up/modified bitumen roof types
- Promotes adhesion on roofing substrates
- Distinct high visibility green color ensures topcoat application without missing a spot
- Will accept elastomeric and silicone topcoats



115 HYBRID EPOXY 1K PRIMER

- Universal water-based epoxy amine-adduct primer
- Adhesion promoter
- Rust preventive primer & bleed blocking
- Will accept elastomeric and silicone topcoats
- Use on built-up/modified bitumen and metal roof types

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PRIME				
130 ACRYLIC PRIMER - HIGH VIS GREEN	5 gal	364544	020066 485306	1
130 ACRYLIC PRIMER - HIGH VIS GREEN	55 gal	365241	020066 485504	1
130 ACRYLIC PRIMER - HIGH VIS GREEN	275 gal	365242	020066 486129	1

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PRIME				
HYBRID EPOXY 1K 115 PRIMER - GRAY	5 gal	355905	020066 460679	1
HYBRID EPOXY 1K 115 PRIMER - GRAY	55 gal	363232	020066 363235	1
HYBRID EPOXY 1K 115 PRIMER - GRAY	275 gal	363235	020066 482022	1

Step 3



ELASTOMERIC ROOF PATCH

- High performance acrylic elastomeric roof patch
- Excellent adhesion and flexibility for long lasting protection
- Patches seams and splits and seals roof fasteners
- Dries white and can be coated with elastomeric roof coatings
- 10 year warranty

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PATCH & REPAIR				
ELASTOMERIC ROOF PATCH - WHITE	10.1 oz	301827	020066 323974	12
ELASTOMERIC ROOF PATCH - WHITE	1 gal	301898	020066 324155	2

ELASTOMERIC RESTORATION SYSTEM – OPTION 2

Step 4



870 ELASTOMERIC COMMERCIAL GRADE ROOF COATING

- Water-based acrylic elastomeric roof coating
- Bright white 88% initial reflectivity
- Rain and mildew resistant in 4 hours
- Over 300% elongation
- Restores built-up, modified bitumen, metal, aged single-ply and spf roof systems

PRODUCT	SIZE	ITEM	BAR CODE	CASE
TOPCOAT				
870 ELASTOMERIC ROOF COATING - WHITE	5 gal	359666	020066 468446	1
870 ELASTOMERIC ROOF COATING - WHITE	53 gal	363230	020066 481667	1
870 ELASTOMERIC ROOF COATING - WHITE	275 gal	363237	020066 482046	1



PREM 880 ELASTOMERIC COMMERCIAL GRADE ROOF COATING

- Single-component, rust preventive water-based acrylic elastomeric roof coating
- Self primes over tight rust
- Over 500% elongation
- Excellent corrosion protection
- Bright white 88% reflectivity
- Restores Built-Up, Modified Bitumen, Metal, aged Single-Ply and SPF roof systems

PRODUCT	SIZE	ITEM	BAR CODE	CASE
TOPCOAT				
PREM 880 ELASTOMERIC ROOF COATING	5 gal	359664	020066 468439	1
PREM 880 ELASTOMERIC ROOF COATING	55 gal	363233	020066 481704	1
PREM 880 ELASTOMERIC ROOF COATING	250 gal	363236	020066 482039	1



ALUMINUM RESTORATION SYSTEM – OPTION 3

Step 1



ONE-STEP ROOF PREP CLEANER

- Concentrated cleaning solution for all types of roofs
- Low foaming, high efficiency, easy to rinse degreaser
- Removes dirt, grease and contaminants from a roof
- Specifically formulated to clean all rooftop surfaces before coating
- Contains no bleach or solvents
- Very low odor

PRODUCT	SIZE	ITEM	BAR CODE	CASE
CLEAN				
ONE-STEP ROOF PREP	1 gal	361456	020066 479091	4
ONE-STEP ROOF PREP	5 gal	361455	020066 479084	1

Step 2



WET OR DRY EXTREME ROOF REPAIR

- Premium quality, heavily fibered, asphalt-based roof cement
- Excellent adhesion to cold, hot, wet, dry or underwater surfaces
- Permits immediate all-weather repairs and spreads easily in cold conditions
- Heavily fibered for increased durability and longevity
- Highly flexible to prevent cracking
- Sag resistant; ideal for vertical repairs
- 20 year warranty



WET OR DRY ROOF REPAIR

- A fibered, asphalt-based cement that provides a strong and flexible seal and resists cracking
- Use on roofs, chimneys, skylights, flashing
- Excellent adhesion to cold, hot, wet, dry or underwater surfaces
- Fiber reinforced for long term durability
- 5 year warranty

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PATCH & REPAIR				
WET OR DRY EXTREME ROOF REPAIR - BLACK	10.1 oz	351249	020066 450403	12
WET OR DRY EXTREME ROOF REPAIR - BLACK	1 gal	351237	020066 450397	2
WET OR DRY EXTREME ROOF REPAIR - BLACK	2.75 gal	351250	020066 439187	1

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PATCH & REPAIR				
WET OR DRY ROOF REPAIR - BLACK	10.1 oz	301826	020066 323981	12
WET OR DRY ROOF REPAIR - BLACK	1 gal	301899	020066 324148	2
WET OR DRY ROOF REPAIR - BLACK	5 gal	301990	020066 324322	1



WET OR DRY ADVANCED ROOF REPAIR

- A quality, heavy fibered, asphalt-based roof cement
- Adheres to wet and dry roof surfaces
- Fibered for long lasting leak repairs
- Highly flexible to prevent cracking
- Use on flat commercial or shingled residential roofs
- 10 year warranty

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PATCH & REPAIR				
WET OR DRY ADVANCED ROOF REPAIR - BLACK	10.1 oz	347418	020066 443191	12
WET OR DRY ADVANCED ROOF REPAIR - BLACK	1 gal	347427	020066 443634	2
WET OR DRY ADVANCED ROOF REPAIR - BLACK	2.75 gal	347431	020066 443665	1

Step 3



670 FIBERED ALUMINUM COMMERCIAL GRADE ROOF COATING

- A metallic pigmented coating used for rust-proofing and weathering
- Protects low and steep sloped roofs from harmful UV damage
- Bonds to tight rust with no primer needed
- 11.4% metallic flake content creates an energy efficient reflective coating
- Restores metal, built-up and modified bitumens


PRODUCT	SIZE	ITEM	BAR CODE	CASE
TOPCOAT				
670 FIBERED ALUMINUM ROOF COATING	5 gal	359667	020066 468453	1
670 FIBERED ALUMINUM ROOF COATING	53 gal	363231	020066 481674	1

Single-Ply Roofs



Single-Ply Layered System

ROOFING RESTORATION PROCESS (SILICONE SYSTEM)



Step 4
Topcoat - Silicone 995



Step 3
Patch & Repair - Silicone Sealant & Polyester Reinforcing Fabric



Step 2
Prime - Single-Ply Adhesion Primer



Step 1
Clean - One Step Roof Prep



SILICONE RESTORATION SYSTEM – OPTION 1

Step 1



ONE-STEP ROOF PREP CLEANER

- Concentrated cleaning solution for all types of roofs
- Low foaming, high efficiency, easy to rinse degreaser
- Removes dirt, grease and contaminants from a roof
- Specifically formulated to clean all rooftop surfaces before coating
- Contains no bleach or solvents
- Very low odor

PRODUCT	SIZE	ITEM	BAR CODE	CASE
CLEAN				
ONE-STEP ROOF PREP	1 gal	361456	020066 479091	4
ONE-STEP ROOF PREP	5 gal	361455	020066 479084	1

Step 2



105 SINGLE-PLY ADHESION PRIMER

- A water-based roof primer with a high tack finish
- Promotes adhesion to single-ply roof surfaces
- Suitable for single-ply membranes, asphalt emulsions and masonry surfaces
- Compatible with elastomeric/silicone roof coatings and asphalt emulsions

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PRIME				
105 SINGLE-PLY PRIMER - WHITE	5 gal	370712	020066 374013	1

Step 3



SILICONE ROOF SEALANT

- A high solids non-shrinking moisture cure silicone sealant
- Solvent free and minimal odor
- Use to seal penetrations and terminations
- Excellent adhesion to many common building materials
- May be applied to wet and underwater surfaces

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PATCH & REPAIR				
SILICONE ROOF SEALANT - WHITE	1 gal	338726	020066 425388	2
SILICONE ROOF SEALANT - GRAY	1 gal	353298	020066 455002	2
SILICONE ROOF SEALANT - WHITE	10.1 oz	338772	020066 425302	12
SILICONE ROOF SEALANT - WHITE	3.3 gal	339670	020066 428594	1

Step 4



995 SILICONE COMMERCIAL GRADE ROOF COATING

- A 95% high solids, 100% silicone-based roof coating
- Creates a durable, breathable, watertight and weather proof barrier
- Excellent wet/dry adhesion
- 88% reflectivity
- Resists ponding water
- Resists rain after 1 hour
- Restores built-up, modified bitumen, metal, aged single-ply and spf roof systems

PRODUCT	SIZE	ITEM	BAR CODE	CASE
TOPCOAT				
995 SILICONE ROOF COATING - BRIGHT WHITE	5 gal	360849	020066 477240	1
995 SILICONE ROOF COATING - BRIGHT WHITE	50 gal	363841	020066 484026	1

ELASTOMERIC RESTORATION SYSTEM – OPTION 2

Step 1



ONE-STEP ROOF PREP CLEANER

- Concentrated cleaning solution for all types of roofs
- Low foaming, high efficiency, easy to rinse degreaser
- Removes dirt, grease and contaminants from a roof
- Specifically formulated to clean all rooftop surfaces before coating
- Contains no bleach or solvents
- Very low odor

PRODUCT	SIZE	ITEM	BAR CODE	CASE
CLEAN				
ONE-STEP ROOF PREP	1 gal	361456	020066 479091	4
ONE-STEP ROOF PREP	5 gal	361455	020066 479084	1

Step 2



105 SINGLE-PLY ADHESION PRIMER

- A water-based roof primer with a high tack finish
- Promotes adhesion to single-ply roof surfaces
- Suitable for single-ply membranes, asphalt emulsions and masonry surfaces
- Compatible with elastomeric/silicone roof coatings and asphalt emulsions

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PRIME				
105 SINGLE-PLY PRIMER - WHITE	5 gal	370712	020066 374013	1

Step 3



ELASTOMERIC ROOF PATCH

- High performance acrylic elastomeric roof sealant
- Excellent adhesion and flexibility for long lasting protection
- Patches seams and splits and seals roof fasteners
- Dries white and can be painted or coated with elastomeric roof coatings
- 10 year warranty

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PATCH & REPAIR				
ELASTOMERIC ROOF PATCH - WHITE	10.1 oz	301827	020066 323974	12
ELASTOMERIC ROOF PATCH - WHITE	1 gal	301898	020066 324155	2

Step 4



870 ELASTOMERIC COMMERCIAL GRADE ROOF COATING

- Water-based acrylic elastomeric roof coating
- Bright white 87% initial reflectivity
- Rain and mildew resistant in 4 hours
- Over 300% elongation
- Restores Built-Up, Modified Bitumen, Metal, aged Single-Ply and SPF roof systems

PRODUCT	SIZE	ITEM	BAR CODE	CASE
TOPCOAT				
870 ELASTOMERIC ROOF COATING - WHITE	5 gal	359666	020066 468446	1
870 ELASTOMERIC ROOF COATING - WHITE	53 gal	363230	020066 481667	1
870 ELASTOMERIC ROOF COATING - WHITE	275 gal	363237	020066 482046	1



PREMIUM 880 ELASTOMERIC COMMERCIAL GRADE ROOF COATING


- Single-component, rust preventive water-based acrylic elastomeric roof coating
- Self primes over tight rust
- Over 500% elongation
- Excellent corrosion protection
- Bright white 88% reflectivity
- Restores built-up, modified bitumen, metal, aged single-ply and spf roof systems

PRODUCT	SIZE	ITEM	BAR CODE	CASE
TOPCOAT				
PREM 880 ELASTOMERIC ROOF COATING	5 gal	359664	020066 468439	1
PREM 880 ELASTOMERIC ROOF COATING	55 gal	363233	020066 481704	1
PREM 880 ELASTOMERIC ROOF COATING	250 gal	363236	020066 482039	1



Metal Layered System

ROOFING RESTORATION PROCESS (ELASTOMERIC SYSTEM)



ELASTOMERIC RESTORATION SYSTEM – OPTION 1

Step 1



ONE-STEP ROOF PREP CLEANER

- Concentrated cleaning solution for all types of roofs
- Low foaming, high efficiency, easy to rinse degreaser
- Removes dirt, grease and contaminants from a roof
- Specifically formulated to clean all rooftop surfaces before coating

- Contains no bleach or solvents
- Very low odor

PRODUCT	SIZE	ITEM	BAR CODE	CASE
CLEAN				
ONE-STEP ROOF PREP	1 gal	361456	020066 479091	4
ONE-STEP ROOF PREP	5 gal	361455	020066 479084	1

Step 2



115 HYBRID EPOXY 1K PRIMER

- Universal water-based epoxy amine-adduct primer
- Adhesion promoter
- Rust preventive primer & bleed blocking
- Will accept elastomeric and silicone topcoats
- Use on built-up/modified bitumen and metal roof types

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PRIME				
HYBRID EPOXY 1K 115 PRIMER - GRAY	5 gal	355905	020066 460679	1
HYBRID EPOXY 1K 115 PRIMER - GRAY	55 gal	363232	020066 363235	1
HYBRID EPOXY 1K 115 PRIMER - GRAY	275 gal	363235	020066 482022	1

Step 3



ELASTOMERIC ROOF PATCH

- High performance acrylic elastomeric roof sealant
- Excellent adhesion and flexibility for long lasting protection
- Patches seams and splits and seals roof fasteners

- Dries white and can be painted or coated with elastomeric roof coatings
- 10 year warranty

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PATCH & REPAIR				
ELASTOMERIC ROOF PATCH - WHITE	10.1 oz	301827	020066 323974	12
ELASTOMERIC ROOF PATCH - WHITE	1 gal	301898	020066 324155	2

Step 4



870 ELASTOMERIC COMMERCIAL GRADE ROOF COATING

- Water-based acrylic elastomeric roof coating
- Bright white 87% initial reflectivity
- Rain and mildew resistant in 4 hours
- Over 300% elongation
- Restores built-up, modified bitumen, metal, aged single-ply and spf roof systems



PREMIUM 880 ELASTOMERIC COMMERCIAL GRADE ROOF COATING

- Single-component, rust preventive water-based acrylic elastomeric roof coating
- Self primes over tight rust
- Over 500% elongation
- Excellent corrosion protection
- Bright white 88% reflectivity
- Restores built-up, modified bitumen, metal, aged single-ply and spf roof systems

PRODUCT	SIZE	ITEM	BAR CODE	CASE
TOPCOAT				
870 ELASTOMERIC ROOF COATING - WHITE	5 gal	359666	020066 468446	1
870 ELASTOMERIC ROOF COATING - WHITE	53 gal	363230	020066 481667	1
870 ELASTOMERIC ROOF COATING - WHITE	275 gal	363237	020066 482046	1

PRODUCT	SIZE	ITEM	BAR CODE	CASE
TOPCOAT				
PREM 880 ELASTOMERIC ROOF COATING	5 gal	359664	020066 468439	1
PREM 880 ELASTOMERIC ROOF COATING	55 gal	363233	020066 481704	1
PREM 880 ELASTOMERIC ROOF COATING	250 gal	363236	020066 482039	1

ELASTOMERIC RESTORATION SYSTEM – OPTION 1

Step 5



3300 ALIPHATIC URETHANE

- Two-component aliphatic polyurethane coating
- Excellent color and gloss retention
- Heavy-duty rust, chemical, impact and abrasion resistance
- 1 coat application
- 7 packaged colors and tint bases

PRODUCT	SIZE	ITEM	BAR CODE	CASE
TOPCOAT				
3300 ACTIVATOR	16 oz	206879	020066 118358	4
3300 ACTIVATOR	1 gal	206966	020066 118624	2
3300 DEEP TINT BASE	1 gal	206877	020066 118334	2
3300 MASSTONE TINT BASE	1 gal	206876	020066 118327	2
3300 SAFETY BLUE	1 gal	207957	020066 120221	2
3300 SAFETY RED	1 gal	207958	020066 120238	2
3300 SAFETY YELLOW	1 gal	207956	020066 120214	2
3300 WHITE TINT BASE	1 gal	206878	020066 118341	2

SILICONE RESTORATION SYSTEM – OPTION 2

Step 1



ONE-STEP ROOF PREP CLEANER

- Concentrated cleaning solution for all types of roofs
- Low foaming, high efficiency, easy to rinse degreaser
- Removes dirt, grease and contaminants from a roof
- Specifically formulated to clean all rooftop surfaces before coating

- Contains no bleach or solvents
- Very low odor

PRODUCT	SIZE	ITEM	BAR CODE	CASE
CLEAN				
ONE-STEP ROOF PREP	1 gal	361456	020066 479091	4
ONE-STEP ROOF PREP	5 gal	361455	020066 479084	1

Step 2



115 HYBRID EPOXY 1K PRIMER

- Universal water-based epoxy amine-adduct primer
- Adhesion promoter
- Rust preventive primer & bleed blocking
- Will accept elastomeric and silicone topcoats
- Use on built-up/modified bitumen and metal roof types

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PRIME				
HYBRID EPOXY 1K 115 PRIMER - GRAY	5 gal	355905	020066 460679	1
HYBRID EPOXY 1K 115 PRIMER - GRAY	55 gal	363232	020066 363235	1
HYBRID EPOXY 1K 115 PRIMER - GRAY	275 gal	363235	020066 482022	1

Step 3



SILICONE ROOF SEALANT

- A high solids non-shrinking moisture cure silicone sealant
- Solvent free and minimal odor
- Use to seal penetrations and terminations
- Excellent adhesion to many common building materials
- May be applied to wet and underwater surfaces

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PATCH & REPAIR				
SILICONE ROOF SEALANT - GRAY	1 gal	353298	020066 455002	2
SILICONE ROOF SEALANT - WHITE	10.1 oz	338772	020066 425302	12
SILICONE ROOF SEALANT - WHITE	1 gal	338726	020066 425388	2
SILICONE ROOF SEALANT - WHITE	3.3 gal	339670	020066 428594	1

SILICONE RESTORATION SYSTEM – OPTION 2

Step 4



995 SILICONE COMMERCIAL GRADE ROOF COATING

- A 95% high solids, 100% silicone-based roof coating
- Creates a durable, breathable, watertight and weather proof barrier
- Excellent wet/dry adhesion
- 88% reflectivity

- Resists ponding water
- Resists rain after 1 hour
- Restores built-up, modified bitumen, metal, aged single-ply and spf roof systems

PRODUCT	SIZE	ITEM	BAR CODE	CASE
TOPCOAT				
995 SILICONE ROOF COATING - BRIGHT WHITE	5 gal	360849	020066 477240	1
995 SILICONE ROOF COATING - BRIGHT WHITE	50 gal	363841	020066 484026	1

ALUMINUM RESTORATION SYSTEM – OPTION 3

Step 1



ONE-STEP ROOF PREP CLEANER

- Concentrated cleaning solution for all types of roofs
- Low foaming, high efficiency, easy to rinse degreaser
- Removes dirt, grease and contaminants from a roof
- Specifically formulated to clean all rooftop surfaces before coating

- Contains no bleach or solvents
- Very low odor

PRODUCT	SIZE	ITEM	BAR CODE	CASE
CLEAN				
ONE-STEP ROOF PREP	1 gal	361456	020066 479091	4
ONE-STEP ROOF PREP	5 gal	361455	020066 479084	1

Step 2



NEOPRENE RUBBER CEMENT

- A 100% synthetic rubber based sealant for sealing and repairing
- Excellent adhesion on wet or dry surfaces
- Outstanding flexibility and tensile strength
- Resists cracking for long lasting protection
- Sag resistant, suitable for vertical repairs
- Applies smooth, can be painted when dry
- 20 year warranty

PRODUCT	SIZE	ITEM	BAR CODE	CASE
PATCH & REPAIR				
NEOPRENE RUBBER CEMENT - BLACK	10.1 oz	301823	020066 324018	12
NEOPRENE RUBBER CEMENT - BLACK	2.8 gal	345462	020066 438487	1

Step 3



670 FIBERED ALUMINUM COMMERCIAL GRADE ROOF COATING

- A metallic pigmented coating used for rust-proofing and weathering
- Protects low and steep sloped roofs from harmful UV damage
- Bonds to tight rust with no primer needed
- 11.4% metallic flake content creates an energy efficient reflective coating
- Restores metal, built-up and modified bitumens

PRODUCT	SIZE	ITEM	BAR CODE	CASE
TOPCOAT				
670 FIBERED ALUMINUM ROOF COATING	5 gal	359667	020066 468453	1
670 FIBERED ALUMINUM ROOF COATING	53 gal	363231	020066 481674	1